

2018 Roeschley Head-to-Head Corn Comparisons



Roeschley Hybrids - Head-to-Head

	No fungicide		With fungicide ¹	
Rx12-70SS RIB no Force	195.6	14.4	198.4	14.8
Rx12-75SS RIB no Force	173.9	14.3	166.1	14.6
Rx14-70VT2P RIB with Force insecticide	196.1	14.8	189.9	16.2
Rx14-75VT2P RIB with Force insecticide	195.1	14.9	199.7	14.6
Average	190.2	14.6	188.5	15.1

Roeschley Hybrids - Head-to-Head

	No fungicide		With fungicide ¹	
Rx12-71SS RIB	192.9	15.2	210.6	14.7
Rx14-14SS RIB	200.3	14.7	221.1	14.7
Rx14-99SS RIB	200.3	15.6	221.1	15.0
Rx15-71SS RIB	193.4	15.0	216.4	15.3
Average	196.7	15.1	217.3	14.9

Roeschley Hybrids - Head-to-Head

Rx215VT2P RIB with foliar fungicide and insecticide ¹	174.2	12.9
Rx436VT2P RIB with foliar fungicide and insecticide ¹	215.9	13.2
Rx436SS RIB with foliar fungicide and insecticide ¹	216.9	13.6
Rx436SS RIB	213.3	12.5
Rx12-71SS RIB	209.5	11.8
Rx720SS RIB	198.4	11.8
Average	204.7	12.6

¹ All Roeschley Hybrids Head-to-Head plots that were sprayed with foliar fungicide received: 8.0 fluid ounces Toledo (tebuconazole), 6.0 fluid ounces Equation (azoxystrobin), and 1.54 fluid ounces Declare insecticide (Gamma-cyhalothrin) per acre on July 19, 2018